







NÁHRADNÍ DÍLY

VYMEZOVACÍ PODLOŽKA




| Geometrie | Objednací kód | Rozměry (mm) | | | | | | Držák nástroje |
|-----------|---------------|--------------|------|------|------|------|------|-------------------------------------|
| | | MPCA | MPCB | MPCC | MPCD | MPCE | MPCF | |
| | PV321 | 9.52 | 3.18 | 0.4 | 0.4 | — | — | Držák typu MP |
| | PV322 | 9.52 | 3.18 | 0.8 | 0.8 | — | — | |
| | PV323 | 9.52 | 3.18 | 1.2 | 1.2 | — | — | |
| | SPSVN32 | 8.06 | 3.18 | 0.3 | 0.3 | — | — | Držák typu SP Držák nástroje HSK |
| | | | | | | | | |
| | STASX400N | 11.00 | 3.00 | 0.4 | 0.4 | 0.4 | 0.4 | Nůž typu ASX400 |
| | | | | | | | | |
| | STASX445N | 10.76 | 3.00 | — | — | — | — | Nůž typu ASX445 |
| | | | | | | | | |
| | STBS500N | 12.7 | 3.18 | 0.8 | 0.8 | 0.8 | 0.8 | |
| | | | | | | | | |
| | WPSTN33 | 9.3 | 4.76 | 0.8 | 0.4 | 1.2 | — | Držák typu WP |
| | WPSTN43 | 12.50 | 4.76 | 0.8 | 0.4 | 1.2 | — | |
| | * WPSWC43 | 12.50 | 4.76 | 0.4 | 0.8 | 1.2 | — | Vyvtávací tyč typu M |
| | WPSWN43 | 12.50 | 4.76 | 0.4 | 0.8 | 1.2 | — | Držák typu WP |

NÝTY PODLOŽEK A UPÍNAČÍ PÁKY






| Geometrie | Objednací kód | Rozměry (mm) | | | | | Držák nástroje |
|---|----------------|--------------|-------|--------|------|------|--|
| | | MPCA | MPCB | MPCC | MPCD | MPCE | |
|  | BCP141 | 3.0 | 1.4 | 5.6 | — | — | Držák typu SP |
| | BCP201 | 4.3 | 2 | 7.4 | — | — | Vyvrťovací tyč typu F |
| | BCP202 | 4.3 | 2 | 6.4 | — | — | Držák nástroje HSK |
| | BCP251 | 4.8 | 2.5 | 7.4 | — | — | |
| | BCP252 | 4.8 | 2.5 | 6.4 | — | — | |
| | BCP301 | 5.3 | 3 | 7.4 | — | — | |
| | BCP401 | 6.3 | 4 | 7.4 | — | — | |
|  | CCP33 | 6.5 | 3.66 | M5×0.8 | 18.5 | 3 | Držák WP |
| | CCP34 | 7.5 | 5.0 | M6×1.0 | 18.5 | 3 | Vyvrťovací tyč typu M |
| | CCP44 | 7.5 | 5.0 | M5×0.8 | 14.2 | 3 | |
|  | LLCL12S | 2.1 | 9.3 | 5.6 | — | — | Držák typu LL |
| | LLCL13 | 3.6 | 10 | 12.5 | — | — | Vyvrťovací tyč typu P |
| | LLCL13S | 3.6 | 10 | 7.8 | — | — | Držák nástroje HSK |
| | LLCL14 | 4.7 | 13.4 | 13.2 | — | — | Nůž typu KSMG |
| | LLCL14S | 4.7 | 13.6 | 12.2 | — | — | |
| | LLCL15 | 6.0 | 19 | 17 | — | — | |
| | LLCL16 | 7.5 | 20.8 | 21 | — | — | |
| | LLCL18 | 8.6 | 25.4 | 25.2 | — | — | |
| | LLCL23 | 3.6 | 12.0 | 11.5 | — | — | |
| | LLCL23S | 3.6 | 11.6 | 9.5 | — | — | |
| | LLCL24 | 4.7 | 16.2 | 14.8 | — | — | |
| | LLCL25 | 6.0 | 17.1 | 17 | — | — | |
|  | LLCL110 | 3.0 | 10.7 | 11.6 | — | — | |
| | LLCL112 | 3.5 | 13 | 13.5 | — | — | |
| | LLCL116 | 4.5 | 18.5 | 18 | — | — | |
| | LLCL120 | 5.6 | 20.3 | 19 | — | — | |
| | LLCL125 | 6 | 24 | 24 | — | — | |
| | LLCL132 | 8 | 30 | 27 | — | — | |
|  | LLP13 | 5.55 | 4.85 | 5.3 | — | — | Držák typu LL |
| | LLP14 | 7.25 | 6.55 | 5.8 | — | — | Držák DOUBLE CLAMP |
| | LLP15 | 8.8 | 8.05 | 8.6 | — | — | VYVRTÁVACÍ TYČ DOUBLE CLAMP |
| | LLP16 | 10.85 | 9.85 | 11.1 | — | — | Vyvrťovací tyč typu P |
| | LLP18 | 15.35 | 13.05 | 12.0 | — | — | Držák nástroje HSK |
| | LLP23 | 5.55 | 4.85 | 6.8 | — | — | Nůž typu KSMG |
| | LLP24 | 7.25 | 6.55 | 9.1 | — | — | |
|  | MP6 | 11.9 | 7.8 | M10×1 | 22.1 | 15 | Držák DOUBLE CLAMP (pro hrubování) |

NÁHRADNÍ DÍLY











POJISTNÝ KOLÍK

| Geometrie | Objednací kód | Rozměry (mm) | | | | | | Držák nástroje |
|---|---------------|--------------|------|------|------|------|------|----------------------|
| | | MPCA | MPCB | MPCC | MPCD | MPCE | MPCF | |
|  | P11S | 6 | 3.7 | 4 | 17 | 11.1 | — | Držák typu MP |
| | P21S | 7.5 | 4.9 | 4.5 | 17.2 | 11.5 | — | |
|  | P221US | 4 | 18 | 2.11 | 3.5 | 3.3 | 7.7 | Držák typu ML |
| | P321US | 5.5 | 18 | 3.64 | 5.0 | 3.3 | 7.5 | |
| | P322US | 5.5 | 21 | 3.64 | 5.0 | 3.3 | 10.5 | |
| | P323US | 5.5 | 24 | 3.64 | 5.0 | 3.3 | 13.5 | |
| | P332US | 5.5 | 21 | 3.64 | 5.0 | 4.9 | 8.9 | |
|  | P323WS | 5.75 | 24 | 3.64 | 5.0 | 3.3 | 12.9 | Držák typu ML |
| | P333WS | 5.75 | 24 | 3.64 | 5.0 | 4.9 | 11.3 | |
| | P334WS | 5.75 | 30 | 3.64 | 5.0 | 4.9 | 17.3 | |
| | P433W | 7.75 | 24 | 5.03 | 7.0 | 4.9 | 10.8 | |
| | P434W | 7.75 | 30 | 5.03 | 7.0 | 4.9 | 16.8 | |

UPÍNKA




| Geometrie | Objednací kód | Rozměry (mm) | | | | | | Držák nástroje |
|---|---------------|--------------|------|------|------|------|------|--|
| | | MPCA | MPCB | MPCC | MPCD | MPCE | MPCF | |
|  | AMS3 | 7 | 12 | 3 | 3.3 | — | — | Držák pro obrábění profilů Nůž typu AJX Nůž typu BRE |
| | AMS4 | 9 | 13.5 | 3 | 3.8 | — | — | |
| | AMS5 | 10 | 15 | 3.5 | 5 | — | — | |
|  | CA142 | 8 | 15 | 4 | 7 | — | — | Držák typu WP Vyvrtávací tyč typu M |
| | CA150 | 9 | 16 | 4.5 | 7 | — | — | |
| | CA151 | 10 | 17 | 5 | 7 | — | — | |
| | CA152 | 10 | 19 | 5 | 7 | — | — | |
| | CA153 | 10 | 24 | 5 | 7 | — | — | |
| | CA161 | 13 | 20 | 6 | 8 | — | — | |
| | CA162 | 13 | 24 | 6 | 8 | — | — | |
| | CA163 | 13 | 27 | 6 | 8 | — | — | |
| | CA181 | 16 | 30 | 8 | 10 | — | — | |
| CA183 | 16 | 37 | 8 | 10 | — | — | | |
|  | CCK13 | 15 | 18.5 | 6 | 9 | — | — | Držák typu WP Vyvrtávací tyč typu M |
| | CCK14 | 19 | 22 | 8 | 9.5 | — | — | |
|  | CCTC1 | 13 | 25 | 7 | 10.2 | — | — | |
|  | CK231 | M6×1 | 8 | 4 | 7.5 | 4.5 | 9.5 | Držák typu MC |
| | CK232 | M6×1 | 8 | 4.5 | 8 | 4.5 | 11.5 | |
| | CK341 | M8×1 | 11 | 5.5 | 13.5 | 6 | 13.5 | |
| | CK342 | M8×1 | 11 | 6 | 14 | 6 | 16.5 | |


UPÍNKA

| Geometrie | Objednací kód | Rozměry (mm) | | | | | | Držák nástroje |
|---|--|----------------|------------------|-------------------|----------------------|-------------|-------------|---|
| | | MPCA | MPCB | MPCC | MPCD | MPCE | MPCF | |
|  | CKW6 | 10.9 | 22.5 | 9.2 | 16.8 | 5 | M8×1 | Držák DOUBLE CLAMP (pro hrubování) |
|  | DCK2211 DCK2613 DCK3113 | 11 13 13 | 22 26.5 31 | 6.57 7.35 9 | 11.1 12.9 14.5 | — — — | — — — | Držák DOUBLE CLAMP VYVRTÁVACÍ TYČ DOUBLE CLAMP Držák nástroje HSK |
|  | KGC1 | 12.0 | 15.0 | M7×0.75 | — | — | — | Držák typu UG |
|  | LK1 | 8 | 14.3 | 4.5 | 5.9 | — | — | |
|  | MHK5NR/L | 15.5 | 23.5 | 8.1 | 12.1 | — | — | |
|  | MTK1R/L | 13 | 17.5 | 5 | 12 | — | — | Držák typu MG Držák typu MT Držák typu MT1 Držák nástroje HSK Kazeta typu MG |
|  | MTK2R/L | 18 | 28 | 7 | 14 | — | — | |
|  | SETK51 SETK61 | 6.8 8.9 | 14.5 18.1 | 2.9 4.1 | 8 8.6 | — — | — — | Držák typu MMTE Držák typu MMTI Držák typu SET Držák typu SNT Držák nástroje HSK Kazeta typu SET |
|  | SRK1R | 9.4 | 21 | 5.5 | 7.5 | — | — | Nůž typu SRE |
|  | UCR | 12 | 24 | 8 | 7 | — | — | |

NÁHRADNÍ DÍLY

PŘÍLOŽNÝ UTVAŘEČ

| Geometrie | Objednací kód | Rozměry (mm) | | | | | Držák nástroje |
|--|---------------|--------------|------|------|-------|-----|--|
| | | MPCA | MPCB | MPCC | IC | LBB | |
|  | CBS3 | 9.4 | 8.0 | 1.5 | 9.525 | 1.5 | |
| | CBS4 | 12.6 | 9.2 | 2.5 | 12.70 | 3.5 | |
| | CBS4N | 12.6 | 10.2 | 2.5 | 12.70 | 2.5 | |
| | CBS4F | 12.6 | 11.2 | 2.5 | 12.70 | 1.5 | |
| | CBS6 | 18.9 | 14.6 | 2.5 | 19.05 | 4.5 | |
| | CBS6N | 18.9 | 16.6 | 2.5 | 19.05 | 2.5 | |
| | CBS6F | 18.9 | 17.6 | 2.5 | 19.05 | 1.5 | |
|  | CBS3D | 8.0 | — | 1.5 | 9.525 | 1.5 | |
| | CBS4D | 10.2 | — | 2.5 | 12.70 | 2.5 | |
| | CBS6D | 15.6 | — | 2.5 | 19.05 | 3.5 | |
|  | CBT2 | 5.33 | 1.4 | 1.5 | 6.35 | 1.5 | Vyvrátávací tyč typu F * Pozitivní destičky mají o 0,5 mm širší utvařeč než je uvedeno v tomto seznamu. |
| | CBT2N | 5.67 | 1.4 | 1.5 | 6.35 | 1.0 | |
| | CBT3 | 7.20 | 1.4 | 2.5 | 9.525 | 3.5 | |
| | CBT3N | 7.87 | 1.4 | 2.5 | 9.525 | 2.5 | |
| | CBT3F | 8.53 | 1.4 | 2.5 | 9.525 | 1.5 | |
| | CBT4 | 9.73 | 1.4 | 2.5 | 12.70 | 4.5 | |
| | CBT4N | 11.07 | 1.4 | 2.5 | 12.70 | 2.5 | |
| | CBT4F | 11.73 | 1.4 | 2.5 | 12.70 | 1.5 | |

| Geometrie | Objednací kód | Rozměry (mm) | | | MPCD (mm) | Držák nástroje |
|---|----------------|--------------|------|------|-----------|----------------|
| | | MPCA | MPCB | MPCC | | |
|  | CBT3106 | 11.5 | 10.6 | 2.0 | 2.5–3.0 | |
| | CBT3113 | 11.5 | 11.3 | 2.0 | 1.5–2.0 | |
| | CBT3120 | 11.5 | 12 | 2.0 | 0.75–1.25 | |
| | CBT4108 | 13.3 | 10.8 | 2.0 | 3.5–4.0 | |
| | CBT4128 | 13.3 | 12.8 | 2.0 | 4.5–5.0 | |

MAZIVO PROTI ZADÍRÁNÍ

MAZIVO PROTI ZADÍRÁNÍ

| Tvar | Objednáací kód | Sklad | Objem (g) |
|---|----------------|-------|-----------|
|  | MK1K | ★ | 20 |
|  | MK1KS | ★ | 3 |



www.mitsubishicarbide.com | www.mmc-hardmetal.com

MMC HARTMETALL GMBH

Comeniusstr. 2 . 40670 Meerbusch . Germany
Phone +49 2159 91890 . Fax +49 2159 918966
Email admin@mmchg.de

MMC HARDMETAL U.K. LTD.

Mitsubishi House . Galena Close . Tamworth . Staffs. B77 4AS . U.K.
Phone +44 1827 312312 . Fax +44 1827 312314
Email sales@mitsubishicarbide.co.uk

MMC METAL FRANCE S.A.R.L.

6, Rue Jacques Monod . 91400 Orsay . France
Phone +33 1 69 35 53 53 . Fax +33 1 69 35 53 50
Email mmfsales@mmc-metal-france.fr

MITSUBISHI MATERIALS ESPAÑA, S.A.

Calle Emperador 2 . 46136 Museros/Valencia . Spain
Phone +34 96 1441711 . Fax +34 96 1443786
Email mme@mmevalencia.com

MMC HARTMETALL GMBH ALMANYA – İZMİR MERKEZ ŞUBESİ

Adalet Mahallesi Anadolu Caddesi No: 41-1 . 15001 35580 Bayraklı/İzmir . Turkey
Phone +90 232 5015000 . Fax +90 232 5015007
Email info@mmchg.com.tr

MMC HARDMETAL POLAND SP. Z O. O.

Al. Armii Krajowej 61 . 50-541 Wrocław . Poland
Phone +48 71335 1620 . Fax +48 71335 1621
Email sales@mitsubishicarbide.com.pl

MMC HARDMETAL RUSSIA 000 LTD.

Electrozavodskaya Str. 24 . build. 3 107023 Moscow . Russia
Phone +7 495 7255885 . Fax +7 495 9813979
Email info@mmc-carbide.ru

MMC ITALIA S. R. L.

Via Montefeltro 6/A . 20156 Milano . Italy
Phone +39 0293 77031 . Fax +39 0293 589093
Email info@mmc-italia.it

DISTRIBUCE:

□

□

└

└

Objednací kód: C007CZ

Vytištěno v Německu