







REPUESTOS

ASIENTO




Geometría	Pedido	Dimensiones (mm)						Herramienta
		MPCA	MPCB	MPCC	MPCD	MPCE	MPCF	
	PV321	9.52	3.18	0.4	0.4	—	—	Herramienta Tipo MP
	PV322	9.52	3.18	0.8	0.8	—	—	
	PV323	9.52	3.18	1.2	1.2	—	—	
	SPSVN32	8.06	3.18	0.3	0.3	—	—	Herramienta Tipo SP Sistema HSK
	STASX400N	11.00	3.00	0.4	0.4	0.4	0.4	Fresa tipo ASX400
	STASX445N	10.76	3.00	—	—	—	—	Fresa tipo ASX445
	STBS500N	12.7	3.18	0.8	0.8	0.8	0.8	
	WPSTN33	9.3	4.76	0.8	0.4	1.2	—	Herramienta Tipo WP
	WPSTN43	12.50	4.76	0.8	0.4	1.2	—	
	* WPSWC43	12.50	4.76	0.4	0.8	1.2	—	Barra de Mandrinar Tipo M
	WPSWN43	12.50	4.76	0.4	0.8	1.2	—	Herramienta Tipo WP

PASADOR DE ASIENTO Y PALANCA






Geometría	Pedido	Dimensiones (mm)					Herramienta
		MPCA	MPCB	MPCC	MPCD	MPCE	
	BCP141	3.0	1.4	5.6	—	—	Herramienta Tipo SP Barra de Mandrinar Tipo F Sistema HSK
	BCP201	4.3	2	7.4	—	—	
	BCP202	4.3	2	6.4	—	—	
	BCP251	4.8	2.5	7.4	—	—	
	BCP252	4.8	2.5	6.4	—	—	
	BCP301	5.3	3	7.4	—	—	
	BCP401	6.3	4	7.4	—	—	
	CCP33	6.5	3.66	M5×0.8	18.5	3	Herramienta WP Barra de Mandrinar Tipo M
	CCP34	7.5	5.0	M6×1.0	18.5	3	
	CCP44	7.5	5.0	M5×0.8	14.2	3	
	LLCL12S	2.1	9.3	5.6	—	—	Herramienta Tipo LL Barra de Mandrinar Tipo P Sistema HSK Fresa tipo KSMG
	LLCL13	3.6	10	12.5	—	—	
	LLCL13S	3.6	10	7.8	—	—	
	LLCL14	4.7	13.4	13.2	—	—	
	LLCL14S	4.7	13.6	12.2	—	—	
	LLCL15	6.0	19	17	—	—	
	LLCL16	7.5	20.8	21	—	—	
	LLCL18	8.6	25.4	25.2	—	—	
	LLCL23	3.6	12.0	11.5	—	—	
	LLCL23S	3.6	11.6	9.5	—	—	
	LLCL24	4.7	16.2	14.8	—	—	
	LLCL25	6.0	17.1	17	—	—	
		LLCL110	3.0	10.7	11.6	—	
LLCL112		3.5	13	13.5	—	—	
LLCL116		4.5	18.5	18	—	—	
LLCL120		5.6	20.3	19	—	—	
LLCL125		6	24	24	—	—	
LLCL132		8	30	27	—	—	
	LLP13	5.55	4.85	5.3	—	—	Herramienta Tipo LL DOBLE FIJACION BARRENO DE TALADRAR CON DOBLE FIJACIÓN Barra de Mandrinar Tipo P Sistema HSK Fresa tipo KSMG
	LLP14	7.25	6.55	5.8	—	—	
	LLP15	8.8	8.05	8.6	—	—	
	LLP16	10.85	9.85	11.1	—	—	
	LLP18	15.35	13.05	12.0	—	—	
	LLP23	5.55	4.85	6.8	—	—	
	LLP24	7.25	6.55	9.1	—	—	
	MP6	11.9	7.8	M10×1	22.1	15	DOBLE FIJACION (Para corte pesado)

REPUESTOS











PASADOR

Geometría	Pedido	Dimensiones (mm)						Herramienta
		MPCA	MPCB	MPCC	MPCD	MPCE	MPCF	
	P11S	6	3.7	4	17	11.1	—	Herramienta Tipo MP
	P21S	7.5	4.9	4.5	17.2	11.5	—	
	P221US	4	18	2.11	3.5	3.3	7.7	Herramienta Tipo ML
	P321US	5.5	18	3.64	5.0	3.3	7.5	
	P322US	5.5	21	3.64	5.0	3.3	10.5	
	P323US	5.5	24	3.64	5.0	3.3	13.5	
	P332US	5.5	21	3.64	5.0	4.9	8.9	
	P323WS	5.75	24	3.64	5.0	3.3	12.9	Herramienta Tipo ML
	P333WS	5.75	24	3.64	5.0	4.9	11.3	
	P334WS	5.75	30	3.64	5.0	4.9	17.3	
	P433W	7.75	24	5.03	7.0	4.9	10.8	
	P434W	7.75	30	5.03	7.0	4.9	16.8	

BRIDA




Geometría	Pedido	Dimensiones (mm)						Herramienta
		MPCA	MPCB	MPCC	MPCD	MPCE	MPCF	
	AMS3	7	12	3	3.3	—	—	Herramienta Perfil Fresa tipo AJX Fresa tipo BRE
	AMS4	9	13.5	3	3.8	—	—	
	AMS5	10	15	3.5	5	—	—	
	CA142	8	15	4	7	—	—	
	CA150	9	16	4.5	7	—	—	
	CA151	10	17	5	7	—	—	
	CA152	10	19	5	7	—	—	
	CA153	10	24	5	7	—	—	
	CA161	13	20	6	8	—	—	
	CA162	13	24	6	8	—	—	
	CA163	13	27	6	8	—	—	
	CA181	16	30	8	10	—	—	
CA183	16	37	8	10	—	—		
	CCK13	15	18.5	6	9	—	—	Herramienta Tipo WP Barra de Mandrinar Tipo M
	CCK14	19	22	8	9.5	—	—	
	CCTC1	13	25	7	10.2	—	—	
	CK231	M6×1	8	4	7.5	4.5	9.5	Herramienta Tipo MC
	CK232	M6×1	8	4.5	8	4.5	11.5	
	CK341	M8×1	11	5.5	13.5	6	13.5	
	CK342	M8×1	11	6	14	6	16.5	


BRIDA

Geometría	Pedido	Dimensiones (mm)						Herramienta
		MPCA	MPCB	MPCC	MPCD	MPCE	MPCF	
	CKW6	10.9	22.5	9.2	16.8	5	M8×1	DOBLE FIJACION (Para corte pesado)
	DCK2211 DCK2613 DCK3113	11 13 13	22 26.5 31	6.57 7.35 9	11.1 12.9 14.5	— — —	— — —	DOBLE FIJACION BARRENO DE TALADRAR CON DOBLE FIJACIÓN Sistema HSK
	KGC1	12.0	15.0	M7×0.75	—	—	—	Herramienta Tipo UG
	LK1	8	14.3	4.5	5.9	—	—	
	MHK5NR/L	15.5	23.5	8.1	12.1	—	—	
	MTK1R/L	13	17.5	5	12	—	—	Herramienta Tipo MG Herramienta Tipo MT Herramienta Tipo MT1 Sistema HSK Cartucho tipo MG
	MTK2R/L	18	28	7	14	—	—	
	SETK51 SETK61	6.8 8.9	14.5 18.1	2.9 4.1	8 8.6	— —	— —	Herramienta Tipo MMTE Herramienta Tipo MMTI Herramienta Tipo SET Herramienta Tipo SNT Sistema HSK Cartucho tipo SET
	SRK1R	9.4	21	5.5	7.5	—	—	Fresa tipo SRE
	UCR	12	24	8	7	—	—	

REPUESTOS

PLACA ROMPEVIRUTAS

Geometría	Pedido	Dimensiones (mm)					Herramienta
		MPCA	MPCB	MPCC	IC	LBB	
	CBS3	9.4	8.0	1.5	9.525	1.5	
	CBS4	12.6	9.2	2.5	12.70	3.5	
	CBS4N	12.6	10.2	2.5	12.70	2.5	
	CBS4F	12.6	11.2	2.5	12.70	1.5	
	CBS6	18.9	14.6	2.5	19.05	4.5	
	CBS6N	18.9	16.6	2.5	19.05	2.5	
	CBS6F	18.9	17.6	2.5	19.05	1.5	
	CBS3D	8.0	—	1.5	9.525	1.5	
	CBS4D	10.2	—	2.5	12.70	2.5	
	CBS6D	15.6	—	2.5	19.05	3.5	
	CBT2	5.33	1.4	1.5	6.35	1.5	Barra de Mandrinar Tipo F *Para placas positivas, el ancho del rompevirutas es de 0.5mm el mayor de los que semuestran en la lista.
	CBT2N	5.67	1.4	1.5	6.35	1.0	
	CBT3	7.20	1.4	2.5	9.525	3.5	
	CBT3N	7.87	1.4	2.5	9.525	2.5	
	CBT3F	8.53	1.4	2.5	9.525	1.5	
	CBT4	9.73	1.4	2.5	12.70	4.5	
	CBT4N	11.07	1.4	2.5	12.70	2.5	
	CBT4F	11.73	1.4	2.5	12.70	1.5	

Geometría	Pedido	Dimensiones (mm)			MPCD (mm)	Herramienta
		MPCA	MPCB	MPCC		
	CBT3106	11.5	10.6	2.0	2.5–3.0	
	CBT3113	11.5	11.3	2.0	1.5–2.0	
	CBT3120	11.5	12	2.0	0.75–1.25	
	CBT4108	13.3	10.8	2.0	3.5–4.0	
	CBT4128	13.3	12.8	2.0	4.5–5.0	

LUBRICANTE ANTI DILATACIÓN

LUBRICANTE ANTI DILATACIÓN

Figura	Pedido	Stock	Lubricante anti dilatación (g)
	MK1K	★	20
	MK1KS	★	3

Memo

A series of horizontal dashed lines for writing, spanning the width of the page.



www.mitsubishicarbide.com | www.mmc-hardmetal.com

MMC HARTMETALL GMBH

Comeniusstr. 2 . 40670 Meerbusch . Germany
Phone +49 2159 91890 . Fax +49 2159 918966
Email admin@mmchg.de

MMC HARDMETAL U.K. LTD.

Mitsubishi House . Galena Close . Tamworth . Staffs. B77 4AS . U. K.
Phone +44 1827 312312 . Fax +44 1827 312314
Email sales@mitsubishicarbide.co.uk

MMC METAL FRANCE S.A.R.L.

6, Rue Jacques Monod . 91400 Orsay . France
Phone +33 1 69 35 53 53 . Fax +33 1 69 35 53 50
Email mmfsales@mmc-metal-france.fr

MITSUBISHI MATERIALS ESPAÑA, S.A.

Calle Emperador 2 . 46136 Museros/Valencia . Spain
Phone +34 96 1441711 . Fax +34 96 1443786
Email mme@mmevalencia.com

MMC HARTMETALL GMBH ALMANYA – İZMİR MERKEZ ŞUBESİ

Adalet Mahallesi Anadolu Caddesi No: 41-1 . 15001 35580 Bayraklı/İzmir . Turkey
Phone +90 232 5015000 . Fax +90 232 5015007
Email info@mmchg.com.tr

MMC HARDMETAL POLAND SP. Z O. O.

Al. Armii Krajowej 61 . 50-541 Wrocław . Poland
Phone +48 71335 1620 . Fax +48 71335 1621
Email sales@mitsubishicarbide.com.pl

MMC HARDMETAL RUSSIA 000 LTD.

Electrozavodskaya Str. 24 . build. 3 107023 Moscow . Russia
Phone +7 495 7255885 . Fax +7 495 9813979
Email info@mmc-carbide.ru

MMC ITALIA S. R. L.

Via Montefeltro 6/A . 20156 Milano . Italy
Phone +39 0293 77031 . Fax +39 0293 589093
Email info@mmc-italia.it

DISTRIBUIDO POR:

□ □

└ ┘

Referencia: C007S

Impreso en Alemania